



## Evolution and myTecnoalarm TCS apps



evolution



myTecnoalarm TCS

# Evolution and myTecnoalarm TCS apps

Index	
Create a Tecnoalarm account	P. 3
LOGOUT procedure	P. 7
LOGIN procedure	P. 8
Manual configuration of the control panel	P. 11
Configuration control panel with QR code	P. 15

Verify that the app is installed on your device.


**The following procedure is common for both apps, Evolution and myTecnoalarm TCS.**

### Create a Tecnoalarm account


1 - Open the app




2 - Open the menu (top left)



3 - Tap on **ACCOUNT**




4 - Tap on **SIGN IN**




## Create a Tecnoalarm account


5 - Insert your email address and an 8-digit password, with at least one upper case, one lowercase, one special character or number




6 - Accept the terms and conditions (first check is mandatory) and tap **SIGN IN**



7 - Registration is complete, confirm with **OK**




8 - Check your email box



## Create a Tecnoalarm account


9 - If you do not receive the e-mail, check the spam folder




10 - Open the email and confirm your registration



11 - Tap to confirm the operation




12 - The operation has been completed successfully




## Create a Tecnoalarm account


13 - Go back to the app and tap on the arrow to return to Login page




14 - Now you will need to insert the email and password used for registration



15 - Enter the email and password and tap on LOGIN




16 - Tap on OK




## LOGOUT procedure


1 - For logout open the menu (top left)




2 - Tap on **ACCOUNT**




3 - Check and take note of the email used for the account, you will need it for login



4 - Tap on **LOGOUT** in the menu




5 - Confirm **LOGOUT** by tapping on **YES**




## LOGIN procedure


1 - Open the app and open the menu (top left)



2 - Tap on **ACCOUNT**




3 - Insert your credentials and tap on **LOGIN**




## LOGIN procedure


4 - Login successful, tap on **OK**




5 - Chose the control panel



6 - Enter the access code used for this control panel




7 - Insert the access code and tap **OK**




## LOGIN procedure


8 - Choose the options required and tap on **SYNC AND SAVE**




9 - Wait till the end of this operation



10 - Tap on the control panel




11 - Check the correct operation




## Manual configuration of the control panel

### Necessary data: model and serial number of the control panel


1 - Tap on + to add a control panel




2 - Select the model of your control panel



3 - Enter the serial number of your control panel




4 - To require the activation code of the app tap on the envelope




## Manual configuration of the control panel


5 - Enter the e-mail address where you have received this communication and tap on **SEND REQUEST**




6 - Activation code sent, confirm with **OK** and access your e-mail account



7 - Copy the activation code present in the e-mail  
**N.B.** If you do not find the e-mail check the spam folder




8 - Paste the activation code




## Manual configuration of the control panel


9 - Enter the access code (used to arm/disarm the control panel on the console)




10 - Tap on **SAVE AND SYNC**



11 - Wait until the synchronization of the app with control panel has been completed




12 - Procedure completed successfully, control panel configuration recovered



## Manual configuration of the control panel


13 - Verify  
the correct operation



In case of errors  
or difficulties during the execution  
of the procedures  
contact your installer  
for advanced technical support.



## Configuration control panel with QR code



**FRAME THE QR CODE WITH YOUR DEVICE**

